

## Refine Search

### Search Results -

Terms	Documents
L10 and L19	2

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L20





### Search History

DATE: Wednesday, May 02, 2007    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

#### Set Name Query

side by side

**Hit Count Set Name**  
result set

DB=PGPB,USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L20</u>	l10 and l19	2	<u>L20</u>
<u>L19</u>	l14 or l15 or l16 or l17 or L18	105	<u>L19</u>
<u>L18</u>	webster-kevin\$.in.	33	<u>L18</u>
<u>L17</u>	swank-raymond\$.in.	8	<u>L17</u>
<u>L16</u>	noddings-douglas\$.in.	7	<u>L16</u>
<u>L15</u>	lamb-michael\$.in.	40	<u>L15</u>
<u>L14</u>	groves-david\$.in.	31	<u>L14</u>
<u>L13</u>	l10 and (l11 or L12)	9	<u>L13</u>
<u>L12</u>	itsrm or (ibm adj tivoli adj storage adj resource adj manager)	6	<u>L12</u>
<u>L11</u>	cim or (common adj information adj model)	4744	<u>L11</u>
<u>L10</u>	l2 and L9	83	<u>L10</u>
<u>L9</u>	l7 and l8	115	<u>L9</u>
<u>L8</u>	(assign\$ or allocat\$) near3 l1	1121	<u>L8</u>
<u>L7</u>	l1 near3 L6	310	<u>L7</u>

L6 path  
L5 l2 and L4  
L4 l3 near3 l1  
L3 mask\$  
L2 request\$ near3 (space or memory or storage)  
L1 lun or (logical adj unit)

1970069 L6  
188 L5  
278 L4  
706616 L3  
68474 L2  
12871 L1

END OF SEARCH HISTORY



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Wed, 2 May 2007, 5:48:01 PM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
<a href="#">#1</a>	((lun <or> (logical unit number))<in>metadata)	592
<a href="#">#2</a>	(((((lun <or> (logical unit number))<in>metadata))<AND> (request* <and> (storage <or> memory <or> resource) <in>metadata))	23
<a href="#">#3</a>	(((((lun <or> (logical unit number))<in>metadata))<and> (request* <and> (storage <or> memory <or> resource) <in>metadata)))<AND>(connectivity <or> path<in>metadata))	1
<a href="#">#4</a>	(cim <or> (common information model)<IN>metadata)	2968
<a href="#">#5</a>	((((cim <or> (common information model)<in>metadata))<AND> (itsrm <or> (ibm tivoli storage resource manager)<in>metadata))	0
<a href="#">#6</a>	(cim <or> (common information model)<IN>metadata)	2968
<a href="#">#7</a>	((((cim <or> (common information model)<in>metadata))<AND> (lun<in>metadata))	0